

## FARI A BINARIO LED



# FARI A BINARIO LED



D



## BFBT01 30W

Faro led a binario Trifase 30W orientabile a 360° corpo in alluminio completo di dissipatore design moderno.

*Threephase Led spot track 30 W 360° angle adjustable with heatsink original design.*

| CODE    | V<br>ac | POWER<br>W | N°<br>LED | Angle<br>° | COLOR | CRI | lm   | D x H<br>mm | TC<br>°k |
|---------|---------|------------|-----------|------------|-------|-----|------|-------------|----------|
| BFBT01C | 85-240  | 30         | 1         | 38         | WARM  | >80 | 3300 | 100 X 155   | 3000     |
| BFBT01N | 85-240  | 30         | 1         | 38         | NATUR | >80 | 3300 | 100 X 155   | 4000     |
| BFBT01F | 85-240  | 30         | 1         | 38         | COLD  | >80 | 3400 | 100 X 155   | 5000     |



E



## BFB217 36W

Faro led a binario Trifase 36W con CRI97 angolo selezionabile e UGR11

*36W three-phase LED track light with selectable angle CRI97 and UGR11*

| CODE   | V<br>ac | POWER<br>W | N°<br>LED | Angle<br>° | COLOR | CRI | lm   | D x H<br>mm | TC<br>°k |
|--------|---------|------------|-----------|------------|-------|-----|------|-------------|----------|
| BFB217 | 85-240  | 36         | 1         | 15/60      | CCT   | >97 | 4600 | 115 X 63    | CCT      |

CRI97



E



## BFB022 20W

Faro led a binario 20W orientabile a 360° corpo in alluminio completo di dissipatore design moderno.

*Led spot track 20W 360° angle adjustable with heatsink original design.*

| CODE    | V<br>ac | POWER<br>W | N°<br>LED | Angle<br>° | COLOR | CRI | lm   | D x H<br>mm | TC<br>°k |
|---------|---------|------------|-----------|------------|-------|-----|------|-------------|----------|
| BFB022C | 85-240  | 20         | 1         | 38         | WARM  | >89 | 2000 | 73 X 170    | 3000     |
| BFB022N | 85-240  | 20         | 1         | 38         | NATUR | >89 | 2050 | 73 X 170    | 4000     |

# PORTAFARETTI CON ATTACCO GU10



## BFBG01

Porta-faretto per binario trifase  
Connettore da binario Powergear  
Disponibile in versione bianco e nero

*Spotlight holder for three-phase track  
Powergear track connector  
Available in black and white version*

| CODE    | P Max W | Color  | Plug | IP | H mm | L x P mm |
|---------|---------|--------|------|----|------|----------|
| BFBG01B | 35      | Bianco | GU10 | 20 | 225  | 62x62    |
| BFBG01N | 35      | Nero   | GU10 | 20 | 225  | 62x62    |



INCASSO




## BFBG02

Porta-faretto da incasso con attacco GU10  
Connettore da binario Powergear  
Disponibile in versione bianco e nero

*Recessed spotlight holder with GU10 socket  
Powergear track connector  
Available in black and white version*

| CODE    | P Max W | Color  | Plug | IP | H mm | L x P mm |
|---------|---------|--------|------|----|------|----------|
| BFBG02B | 35      | Bianco | GU10 | 20 | 118  | 112x112  |
| BFBG02N | 35      | Nero   | GU10 | 20 | 118  | 112x112  |



## BFBG03

Porta-faretto con asta per faretto GU10  
Disponibile in due lunghezze in versione nero

*Spotlight holder with GU10 spotlight rod  
Available in two lengths in black version*

| CODE    | P Max W | Color | Plug | IP | H mm | L x P mm |
|---------|---------|-------|------|----|------|----------|
| BFBG031 | 35      | Nero  | GU10 | 20 | 400  | 150x62   |
| BFBG032 | 35      | Nero  | GU10 | 20 | 700  | 150x62   |